



Ran Vijay Smarak Mahavidyalaya
Bokaro

TENDER DOCUMENT

For

Procurement of Various Items

Under RUSA scheme

Tender No. RVSM/RUSA/10/22-23

Date: 12/11/2022

This page is intentionally left as blank



RAN VIJAY SMARAK MAHAVIDYALAYA
(A Permanent Affiliated Institution Under BBM KU, Dhanbad)
Sector - XII/ D, Bokaro Steel City, Bokaro, Jharkhand

TENDER NOTICE

The **R.V.S. Mahavidyalaya, Bokaro** invites tenders from the eligible bidders for the supply of various items for the project under **RUSA** Scheme in 2 separate envelopes. The tender document may be downloaded from the college official website i.e. **www.rvsmb.com**.

Sd/-Principal

(Notice Inviting Tender)

Ran Vijay Smarak Mahavidyalaya

Sector - XII/ D, B.S.City, Bokaro, Jharkhand-827012

S.No	Name of the office inviting Tenders	Principal, Ran Vijay Smarak Mahavidyalaya, Chas Bokaro
1.	Name of Work	Procurement of Various Items under RUSA Scheme
2.	EMD of Tender to be deposited for each package(Refundable)	Rs. 50,000/-
3.	Tender Cost (Non Refundable)	Rs. 5000/-
4.	Date of issue of Tender Document	12/11/2022
5.	Last Date of Submission of Tender Paper	02/12/2022 till 1:00pm
6.	Date of Opening of Tender	02/12/2022 at 3:00pm
7.	Tender No.	RVSM/RUSA/10/22-23
8.	Detail of Demand Draft (D.D)	In favor of Ran Vijay Smarak Mahavidyalaya, Chas Bokaro
9.	New Opening Date (Extended Date)	09/12/2022 at 3:00 pm

The tender can be Downloaded from the website of the college www.rvsmb.com or can be procured from the office of the College

Sd/- Principal
(Ran Vijay Smarak Mahavidyalaya, Bokaro)

PART-I

ELIGIBILITY CRITERIA AND GENERAL TERMS & CONDITIONS FOR TENDERERS

1. The bids shall be submitted in **two separate envelopes** marked as **Technical Bid** and **Financial Bid** and put in third envelop. All envelopes should be addressed to The Principal, R.V.S. College, Bokaro. The Tender number and date should be mentioned on the envelopes. Properly sealed tender should be submitted in the office of the undersigned either in person or by registered post on or before **02/12/2022 till 3 pm. Tender received after due date and time, whatever be the reason, will be rejected/not accepted.**
2. The technical bid must be submitted with the Tender Cost and Earnest Money Deposit (EMD) mentioned in the NIT. Failing to this, the bid will be summarily rejected.
3. The bidder should be a Proprietorship Firm/Partnership firm/Company. No consortium is allowed. Relevant declaration in the support of this statement must be submitted.
4. Only manufacturer(s) or their sole authorized distributor/ supplier are eligible to bid. Authorization letter from Original Equipment Manufacturer (OEM) in favor of authorized supplier to bid/ negotiate/conclude the order against this tender must be enclosed with the bid.
5. The bidder shall append a certificate with the tender that the firm has not been debarred/ blacklisted for any reason/ period by any central/ state govt. dept./ University/ PSU etc. If so, of the same may be furnished. Concealment of facts shall not only lead to cancellation of the order but may warrant legal action.
6. PAN & GST registration certificates are to be submitted with the Technical bid.
7. The Bidder should be registered with GST for the last 3 years. The certified copies of GST Registration Certificate, with latest GST return copy (GSTR 3B till Sept 2022 or latest) are to be enclosed with the bid. (Submit self-attested documents).
8. Bidder should have the registration in Government E-marketplace (GeM). A documentary evidence in this regard shall be submitted along with the bid.
9. Annual Average Turnover of the bidder should be **Rs. 2 Crores** and above in the last 3 Financial years and should have been audited by a chartered accountant (The Audited Balance Sheets mentioning their turnover shall be enclosed with a Covering letter of CA mentioning UDIN of the certificate).
10. The Income tax return for the last 3 years shall be enclosed.
11. The Firm submitting Tender should have a minimum experience of three consecutive years of supply in College/University/Higher Educational institutions of Jharkhand. Following documents are permissible as documentary evidence of 3 years' experience:
 - a. Self-attested copies of work experience certificates issued from the concerned institutions;
or
 - b. Self-attested copies of Work Orders and invoice raised against the same; or

- c. Contract of GeM orders and their Consignee Receipt and Acceptance Certificate (CRAC).
12. Firm / OEM Should have a Single Order of 30 Lakh and above or Two order of 40 Lakh and above of Same related product from and college / University / Higher Education Institute of Jharkhand and Should be not less than 3 year old.
 13. The firm should not be banned by the Government and the product should not be health hazardous. (An undertaking should be submitted along with tender paper.)
 14. The bidder shall ensure that OEM of the items quoted must have ISO-9001:2008 or 2015, ISO 14001:2004 or 2005 Certificate and BIFMA for Related Furniture work.A copy of the above certificates shall be enclosed with the Technical Bid. The Bidder should also have ISO 9001:2015.
 15. The bidder should have their offices in Jharkhand preferably in Bokaro to provide essential on-site service to the clients. If the bidder's office is not currently established in Jharkhand, an undertaking on the company's letterhead shall be submitted along with the bid that if they will be awarded the work, necessary on-site service arrangement will be assured by the Authorised Service Centre/Person of the concerned Original Equipment Manufacturer (OEM). In this letter, the details of OEM wise Service Centre (Local Address proof, GST registration certificate of Jharkhand, procedure of complaint booking and escalation matrix of the complaint) shall be enclosed.
 16. Offers should strictly be as per the technical specifications as mentioned in Part-III of RFP. No deviation shall be accepted; (Deviations are likely to render the tender non-considerable. Bidders are advised not to deviate).
 17. Price must be quoted Freight on Road (F.O.R.) to R.V.S. College, Bokaro and inclusive of all charges/taxes. Any tax will not be added after the submission of financial bid.
 18. Bidders to quote the price for each item as per the Financial Bid format of the document. Bids submitted with the Price for selective items only will be considered for rejection. No alternative price for any of the item will be entertained.
 19. After the award of work, the supplier shall be required to submit the performance security in the form of irrevocable bank guarantee in the prescribed format (Annexure-B) issued by any Scheduled Commercial Bank, for an amount equal to the 3% of order value. The performance security will be refunded after the expiry of warranty period of items without any bank interest. The validity will be counted for a period of 60 days beyond the date of completion of warranty period. Warranty Period will be commenced from the date of the installation of the supplied item. Hence, be careful at the time of calculation of the validity date of Performance Bank Guarantee.
 20. 97% payment against delivery and satisfactory installation, and balance 3% after the submission of Performance security. It is must to submit the Performance Security within 15 days after the delivery of the ordered material otherwise the remaining 3% payment (equal to the amount of Performance Security) will be forfeited, due to noncompliance of tender Terms & Conditions.
 21. **Payment shall be made after quality and quantity of items supplied is verified and certified by a competent team constituted by the college.** Allthe payments of the supplied items will be

- made through PFMS after the deduction of income and other admissible taxes.
22. Price must be quoted in Indian rupees inclusive of all taxes and typed in both word and figure. Typing errors or cutting must be countersigned by due initial with date. Non-compliance or overwriting will lead to rejection of quotation.
 23. Prices quoted in the bid must be valid up to 180 days from date of submission of quotation.
 24. If bidder desires to withdraw before bid submission closing date/time, he may do so but in that case the cost of the tender(Rs. 2000/-) will not be refunded. Once withdrawn the firm cannot participate again in this tender.
 25. **The technical bids shall be opened on 02/12/2022 at 01.00 PM in the office of undersigned. The Financial Bids of those Bidders will be opened whose technical bids meet all the required Technical specifications certified by the technical team. Work order will be given to the bidder whose total quoted price is found the lowest i.e. to L1.**
 26. Quantity of the items will be finalized by the College as per the availability of fund.
 27. Supply is to be provided within 4-6weeks from the date of issue of order.
 28. All the interested bidders are required to see Notice Board/ Website of the college for any further change/corrigendum and proper understanding of the requirement.
 29. In case of any confusion in the interpretation of any word/sentence, the decision of the tendering authority will be final.
 30. The contract shall be governed by the laws and procedures established by Govt. of India, within the frame work of applicable legislation and enactment made from time to time concerning such Commercial dealings/processing. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Ranchi, Jharkhand, India only. The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the venue of arbitration shall be at Ranchi, Jharkhand. The decision of the Arbitrator shall be final and binding on both the parties.
 31. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason.
 32. Technical Catalogue of quoted product to be attached with the technical bid and same should be available on OEM website. Non-compliance shall result in rejection of tender.
 33. After successful installation by bidder, technical support/warranty will be provided as and when required for the duration 3 years (For Digital Board the warranty period will be 5 Years). A declaration about the on-site warranty is to be submitted along with bid.
 34. After Successful delivery and commissioning of supplied items, the bidder has to demonstrate the feature and functions of each items and as and when requested provide essential training to the staffs of the college.
 35. The college should have all the right to reject/select lowest bidders if major variations are found in make/rates of the items quoted. The college reserves the right to cancel the tender process or accept or reject any tender without assigning any reason or relax any condition at any stage of tender process.

Part II – Essential Details of Items/ Services required

Bidders are required to furnish clause wise compliance of specifications of **each item** as mentioned in the Part-III of RFP to bringing out clearly the deviations from specification, if any. The Bidders shall submit the compliance statement in the following format along with Technical Bid :-

SN.	Para of Tender specifications item wise	Specification of item offered	Compliance to tender specification-whether Yes/No	In case of non-compliance, deviation from Tender to be specified in unambiguous terms
Name of the Item:.....				
1.				
2.				
3.				

Part III

Minimum Technical Specifications of required items

S. N.	Technical Specifications of required items		Qty
1	Digital Board		1 pc
	DISPLAY SYSTEM	<p>(a) Display Size , Surface & Technology</p> <ul style="list-style-type: none"> • Min. 75 inch (Diagonal) • Hardened surface with Anti Scratch & Anti Glare Surface • LED with min. 60 Hz refresh rate • Resolution: 3840 x 2160 (Min.) (for Landscape) • Aspect Ratio: 16:9 • Viewing Angle Range (Min.) : 176° (Horizontal) to 176° (Vertical) <p>(b) Operating Specs:</p> <ul style="list-style-type: none"> • Power Supply : 240 V ; 50 Hz • Operating temp : 0° C to 50° C • Operating Humidity: 10% to 80% • Wall Mountable <p>(c) Audio</p> <ul style="list-style-type: none"> • Inbuilt speakers (10 W x 2) (10 W – Minimum for each speaker) <p>(d) Remote</p> <ul style="list-style-type: none"> • Remote Controller (Full functional; remote with batteries) 	
	TOUCH SYSTEM	<p>(a) Type : Infra-Red based</p> <p>(b) Inputs for Touch : Finger, Gloved Fingers, Opaque Objects / Touch Pens</p> <p>(c) No. of touch pens (with suitable tray/pen holder) : Qty 2</p> <p>(d) Touch Scan Rate : 50 Scans / sec (Min.)</p> <p>(e) Touch Points : Multi touch (Min. 10 Touch Points)</p> <p>(f) (Response Time : less than 15 msec</p> <p>(g) Touch accuracy : ± 2 mm (Over 90% Area)</p>	
	I/O SYSTEM	<p>(a) HDMI (ver 2.0) - Min.2 ports</p> <p>(b) RJ 45 – Min 1 Port (with 5 m Patch Cable)</p> <p>(c) Wi-Fi (802.11 b/g/n/ac) with Hotspot feature</p> <p>(d) HDMI output (with cable to connect external monitor/ device)</p> <p>(e) USB (2.0) – Min. 2 Ports + USB (3.0) – Min. 1 Port</p>	
	EMBEDDED SYSTEM & SOFTWARE	<p>(a) Hardware :</p> <ul style="list-style-type: none"> • (Min) Quad Processor based SoC (Processor = 1.7 GHz or Higher) • Main Memory : 4 GB or Higher • Internal Storage : 32 GB or Higher • Slot for Open Pluggable System (OPS)/ mini PC <p>(b) Operating System:</p> <ul style="list-style-type: none"> • Android / Linux / Open Source based O.S. (Latest Version) <p>(c) Software Apps (Pre-loaded)</p> <ul style="list-style-type: none"> • Content Management Systems & Apps to support Writing, Drawing, Eraser, Screen Capture, Video Player, Recording, File & Folder Manager, Storage Management, Print, Email, 	

S. N.	Technical Specifications of required items		Qty
		etc. <ul style="list-style-type: none"> • Web browser • Screen Sharing (Mira Cast) / (Google Cast) • Factory Resetting • Security features – Pin based and / or Password based. • Over the Air update of Apps & O.S. • Appropriate App Store (Repository) of Google Play Services (GPS)/ equivalent Apps for viewing / display of PDF & Window format files. 	
	CERTIFICATIONS	BIS, RoHS, CE, FCC	
	WARRANTY	5 years comprehensive on-site warranty	
	Note : The specifications mentioned above shall not be meet with the help/population of Open Pluggable System (OPS). The bidders are advised to take into this account and prepare their proposal accordingly.		
2.	Desktop PC		20 pcs
a)	Intel® Core™ i3 11 th Generation or above, 4GB DDR4 RAM, 500 GB HDD, Windows 10 Pro, Monitor – 18.5” TFT, keyboard and mouse, 3 years onsite warranty		
b)	Intel® Core™Core i5 11 th Generation or above, Intel core i5 with B560 chipset, 8GB DDR4 RAM, 1 TB HDD, 512 GB SSD, Windows 10 Pro, Monitor – 18.5” TFT, with keyboard and mouse 3 years onsite warranty		1pc
3.	Laptop		1pc
	Processor	Intel® Core™ i5-1135G7 (2.4 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 8 MB L3 cache, 4 cores, 8 threads);	
	Maximum memory	32 GB DDR4-3200 SDRAM Both slots are accessible/upgradeable by IT or self-maintainers only. Supports dual channel memory	
	Memory slots	2 SODIMM	
	Internal storage	up to 512 GB Intel® PCIe® NVMe™ QLC M.2 SSD with 32 GB Intel® Optane™ memory H10	
	Display size (diagonal, metric)	35.56 cm (14")	
	Display	35.6 cm (14") diagonal, FHD (1920 x 1080), IPS, narrow bezel, anti-glare, 1000 nits, 100% sRGB	
	Available Graphics	Integrated: Intel® Iris® Xe Graphics; Intel® UHD Graphics	
	Audio	Dual stereo speakers, dual array microphone	
	Ports and Connectors	3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging, 1 power); 1 HDMI 1.4b; 1 headphone/microphone combo; 1 AC power; 1 RJ-45 ; (HDMI cable sold separately.); Optional Ports: 1 SuperSpeed USB Type-C® 10Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4)	
	Input devices	Click pad with multi-touch gesture support	
	Communications	Realtek 10/100/1000 GbE NIC ; Realtek 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 5 combo; Intel® Wi-Fi 6 AX201 (2x2) and Bluetooth® 5 combo, vPro®; Realtek Wi-Fi 6 RTL8852AE 802.11a/b/g/n/ax (2x2) and Bluetooth® 5.2 combo	
	Camera	720p HD camera	

S. N.	Technical Specifications of required items		Qty
	Battery type	Long Life 3-cell, 45 Wh polymer	
	Battery life	Up to 12 hours and 45 minutes	
	Dimensions	32.19 x 21.39 x 1.99 cm	
	Weight	Starting at 1.38 kg	
	Operating Systems	Windows 11 Professional	
	Warranty	3 years comprehensive on-site	
4	UPS		
a)	1 KVA offline UPS for Digital Board		1 pc
	Parameter	Specifications	
	Online UPS	Minimum 1000 VA / 600 W	
	Input Voltage Range	140 VAC to 290 VAC	
	Input Frequency	50 Hz	
	Output Voltage	230 VAC	
	Voltage Regulation	± 10%	
	Transfer time	4 to 10 ms	
	Output Frequency	50 Hz	
	Output Waveform	Stepped Sine Wave	
	Battery Voltage	12 Volts	
	Humidity	0 - 95 % RH	
	Operating Temperature	0 - 40 degree	
b)	600VA offline UPS for Desktop		20 pcs
	Parameter	Specifications	
	Online UPS	Minimum 1000 VA / 360 W	
	Input Voltage Range	140 VAC to 290 VAC	
	Input Frequency	40-70 Hz	
	Output Voltage	230 VAC	
	Voltage Regulation	± 10%	
	Transfer time	4 to 10 ms	
	Output Frequency	50/60Hz ± 1%	
	Output Waveform	Sine Wave	
	Battery Voltage	12 Volts	
	Humidity	0 - 95 % RH	
	Operating Temperature	0 - 40 degree	
5	Multi-function Monochrome Laser Printer (Black, Toner Cartridge) Print Technology: Monochrome, Laser Print speed Up to 14 ppm, first page out black: < 10 sec for printing (Instant-on Technology virtually eliminating warm-up time – from cold or warm start), Exact speed varies depending on the system configuration, software program, and document complexity. Processor: 230 MHz, Print Quality: 1200 dpi effective output quality (600 x 600 dpi, Resolution Up to 600 x 600 dpi, PrinterDuty cycle Up to 5000 pages per month, Scan Type: Flatbed. Colour scanning: Yes, Scan resolution: Optical: Up to 1200 dpi. Enhanced: Up to 19200 dpi, Bit depth 24 bit, Grey scale levels: 256, Copy speed: Up to 14 cpm, Copy resolution Up to 600 x 600 dpi, Multiple copies Up to 99, Reduce/enlarge: 25 to		2 pcs

S. N.	Technical Specifications of required items	Qty																																												
	400%																																													
6	Computer Chair Frame Material: Glass Filled Nylon Structure with Breathable Mesh Size: High Back Swivel: 360° swivel Mechanism: Synchro Multi-Tilt Lock Mechanism Gas-lift : Class 4 Base: Heavy Duty Metal Base Castors:50mm Dual Caster Wheels 2D Adjustable Armrest 2D Adjustable Lumbar Support 2D Adjustable Headrest Maximum Weight Capacity: Upto 125Kgs Height Suitability: 5ft to 5ft.10" Color: Black	1 pc																																												
7	Steel Almirah (University College Type) 22 Gauge The Almirah shall be of size 78"x36"x22". Welded construction (multiple-bend construction should be done with tack welding) made of 1.00 mm thick CRCA for Back, Shelf & 1.00 mm thick CRCA steel conforming to IS-513 quality for all other components and full height steel hinged door. One handle with locking mechanism, 4 shelves, (5 compartment) M10 screw type leveler with hex plastic base, 4- Step - Anti – Corrosion treatment and the finish shall be of Epoxy Polyester Powder coated should be thickness of 50 microns (+/-10).	6 pcs																																												
8	Green Board (8 x4) 9 mm inner particle board Frame with aluminum channel Writing material 0.6 mm thick green writable with chalk mica Backside 0.6 mm thick white melamine sheet.(Both side useable)	8 pcs																																												
9	Multimedia Projector <table border="1" data-bbox="264 898 1247 1902"> <tbody> <tr> <td>Native Resolution</td> <td>XGA (1024x768) or higher</td> </tr> <tr> <td>Display Color</td> <td>1.07 Billion Colors or higher</td> </tr> <tr> <td>Technology</td> <td>One Chip DLP</td> </tr> <tr> <td>Light Source</td> <td>UHP Lamp</td> </tr> <tr> <td>Brightness</td> <td>4000 ANSI Lumens or better</td> </tr> <tr> <td>Contrast Ratio</td> <td>22000:1 or better</td> </tr> <tr> <td>Throw Type</td> <td>Short Throw</td> </tr> <tr> <td>Throw Ratio</td> <td>0.61 or better</td> </tr> <tr> <td>Digital Zoom</td> <td>0.8X-2.0X</td> </tr> <tr> <td>Projection Offset</td> <td>Should support upto 130% (+/-5%) or better</td> </tr> <tr> <td>Lens</td> <td>F=2.6, f=6.9mm</td> </tr> <tr> <td>Throw Distance</td> <td>0.74m-3.72m (77" @0.95m)</td> </tr> <tr> <td>Image Size</td> <td>60"-300"or better</td> </tr> <tr> <td>Keystone & Corner Correction</td> <td>Projector should have vertical ($\pm 40^\circ$) keystone correction</td> </tr> <tr> <td>Audible Noise</td> <td>up to 31dB in Normal Mode, 27dB in Eco. Mode</td> </tr> <tr> <td>Minimum Lamp Life</td> <td>6000 Hrs in Normal Mode, 8000 Hours in Economy Mode</td> </tr> <tr> <td>Input Ports</td> <td>HDMI x 1, Computer in/VGA x 2, Composite video x 1, Audio In x 1</td> </tr> <tr> <td>Output Ports</td> <td>VGA out x 1, Audio Out x 1</td> </tr> <tr> <td>Other ports</td> <td>USB Type A (power) x 1, USB type B mini x 1, RS232 x1</td> </tr> <tr> <td>InBuilt Speaker</td> <td>Minimum 5 Watts rms to deliver full range sound</td> </tr> <tr> <td>Input Resolution Support</td> <td>VGA(640 x 480) to FullHD(1920 x 1080)</td> </tr> <tr> <td>HDTV Compatibility</td> <td>480i, 480p, 576i, 576p, 720p, 1080i, 1080p</td> </tr> </tbody> </table>	Native Resolution	XGA (1024x768) or higher	Display Color	1.07 Billion Colors or higher	Technology	One Chip DLP	Light Source	UHP Lamp	Brightness	4000 ANSI Lumens or better	Contrast Ratio	22000:1 or better	Throw Type	Short Throw	Throw Ratio	0.61 or better	Digital Zoom	0.8X-2.0X	Projection Offset	Should support upto 130% (+/-5%) or better	Lens	F=2.6, f=6.9mm	Throw Distance	0.74m-3.72m (77" @0.95m)	Image Size	60"-300"or better	Keystone & Corner Correction	Projector should have vertical ($\pm 40^\circ$) keystone correction	Audible Noise	up to 31dB in Normal Mode, 27dB in Eco. Mode	Minimum Lamp Life	6000 Hrs in Normal Mode, 8000 Hours in Economy Mode	Input Ports	HDMI x 1, Computer in/VGA x 2, Composite video x 1, Audio In x 1	Output Ports	VGA out x 1, Audio Out x 1	Other ports	USB Type A (power) x 1, USB type B mini x 1, RS232 x1	InBuilt Speaker	Minimum 5 Watts rms to deliver full range sound	Input Resolution Support	VGA(640 x 480) to FullHD(1920 x 1080)	HDTV Compatibility	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	1 pc
Native Resolution	XGA (1024x768) or higher																																													
Display Color	1.07 Billion Colors or higher																																													
Technology	One Chip DLP																																													
Light Source	UHP Lamp																																													
Brightness	4000 ANSI Lumens or better																																													
Contrast Ratio	22000:1 or better																																													
Throw Type	Short Throw																																													
Throw Ratio	0.61 or better																																													
Digital Zoom	0.8X-2.0X																																													
Projection Offset	Should support upto 130% (+/-5%) or better																																													
Lens	F=2.6, f=6.9mm																																													
Throw Distance	0.74m-3.72m (77" @0.95m)																																													
Image Size	60"-300"or better																																													
Keystone & Corner Correction	Projector should have vertical ($\pm 40^\circ$) keystone correction																																													
Audible Noise	up to 31dB in Normal Mode, 27dB in Eco. Mode																																													
Minimum Lamp Life	6000 Hrs in Normal Mode, 8000 Hours in Economy Mode																																													
Input Ports	HDMI x 1, Computer in/VGA x 2, Composite video x 1, Audio In x 1																																													
Output Ports	VGA out x 1, Audio Out x 1																																													
Other ports	USB Type A (power) x 1, USB type B mini x 1, RS232 x1																																													
InBuilt Speaker	Minimum 5 Watts rms to deliver full range sound																																													
Input Resolution Support	VGA(640 x 480) to FullHD(1920 x 1080)																																													
HDTV Compatibility	480i, 480p, 576i, 576p, 720p, 1080i, 1080p																																													

S. N.	Technical Specifications of required items		Qty
	Video Compatibility	NTSC, PAL, SECAM	
	Power Consumption	Normal: 260W, Standby: <0.5W	
	Input Power Supply	As per Indian standard with compatible power cable & connector	
	Accessories	All device driver and cables for connecting with computer	
	Remote	Projector should be supplied with full function remote control	
10	Water Purifier RO+UV+MTDS with Storage		1 pc
	Colour	White	
	Special Feature	UV, RO	
	Product Dimensions	32L x 27.5W x 47.6H Centimeters	
	Purification Method	Reverse Osmosis, Ultraviolet	
	Power Source	corded-electric	
	Model Name	RO+UV	
	Lower Temperature Rating	99 Degrees Celsius	
11	Water Cooler with Purifier		1 pc
	Storage Capacity (Ltrs) at 16.5 Deg C	80 litres	
	Cooling Capacity (Ltrs/hr) at 16.5 Deg C	60 LPH	
	Water Cooler Body Finish	Stainless steel	
	Refrigerant Gas Specification	R134a	
	No of Faucets	2	
	Power (watts)	625 W +/- 10 Percent	
	Current (Amps)	3.2 A +/- 10 Percent	
12	CCTV Camera with installation for 5 cameras MP Security Cameras (Bullet /Doom) 5 pc, Cables (RJ45 or RJ59 Cables) 90Mtr, Video Recorders (8 Channel DVR) 1 pc, Storage Unit – 1TB HDD 1pc, SMPS 1 pc, Camera Box 5 pc, VNC and DC 10+ 6		1 set
13	Monitor for above CCTV Monitor Screen Size 60.5cm (24 Inch) FHD IPS Monitor Height Adjustment, 2X3W Speakers, 75Hz, AMD FreeSync, HDMI, DP, Smart Display Customization, TUV Eyesafe Certified & Natural Low Blue Light -Q24i-20		1pc
14	Iron Rack Size: 6'height x 3'widthx1'6" depth (Approx.). The rack contain 4 nos. of Angle will be 40 x 2 x 1829 and 5 Panel will be of 905x448x1. Maximum Load capacity per panel will be 140 kg. Finish shall be of Epoxy Polyester Powder coated and having anti rust treatment to the thickness of 50 microns (+/- 10). All steel structural components shall be processed and made from virgin material.		10 pcs

S. N.	Technical Specifications of required items	Qty
15	White Board Magnetic type Size 4' x3' Board Made up of 9mm Inner Particle Board Front- Enamel Coated Steel Sheet for long lasting durability Back - Galvanized Iron sheet Board Faming with Anodized Aluminum frame with plastic rounded safety corner	10 pcs
16	Trunk Box Material: Aluminium, Shape: Rectangle, Size:4'3" L , 2'2" W, 2'7" H, Weight (Kilogram)- 12-15 kg, Thick as per IS 513/2008 Type D For Body, Lid ,Cover, Pocket and Channel, Surface, All joints shall be double seamed, HASPS STAPLE SIZE 150 AS PER IS 363/1993-TYPE II,	3 pcs
17	Dual Desk & Bench 3 Seater Bench frame made up of 1 x 1 16 gauge heavy pipe and Good Quality Anti termite Wooden Top Seat size 60" x 12", Top size 60"x 14", Height of seat from ground 17", Height of writing Top 30"	150 pcs
18	Staff Chair / Visitor chair a. Fixed back chair with handle b. PU Moulded Foam Seat & back with 12 mm play c. Size: (925 X 600 X 550) MM d. steel inserted PU handle e. Base CRCA Capsule Pipe 25 MM - 14 GAUGE INNER, 3.4 inch 16 gauge in S shape	50 pcs
19	Office Table Table Size: 42" X 36", Height: 30" Water Proof Anti termite 19mm Double Core Ply Board Top, 16 gauge Pipe	10 Pcs

Annexure- A

TENDER CONDITIONS ACCEPTANCE LETTER

(To be given on Company's Letter Head)

Date :.....

To

SUB : ACCEPTANCE OF TERMS & CONDITIONS OF TENDER

Tender Reference No : _____

Name of Tender/ Work : _____

Dear Sir,

1. I/We have obtained the tender document(s) for the above mentioned "Tender/Work" from the office as per your advertisement in press/website.
2. I/We hereby certify that I/ we have read entire terms and conditions of the documents including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I/we shall abide hereby the terms/conditions/clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organizations too have also been taken into consideration, while submitting this acceptance letter.
4. **I /We hereby unconditionally accept the tender conditions of above mentioned tender document(s)/ corrigendum(s) in its totality/ entirety.**
5. **In case any provisions of this tender are found violated, the college shall have the right to reject this tender/bid including the forfeiture of the full said Earnest Money Deposit absolutely and we shall not have any claim/right against the college.**

Yours Faithfully

(Signature of the Bidder, with official seal)

Annexure-B

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

The Principal

R.V.S. College, Chas Bokaro

WHEREAS.....(Name and address of the Supplier) (hereinafter called “the Supplier”) has undertaken, in pursuance of contract no..... dated (hereinafter called “the contract”) to supply.....

AND WHERE AS it has been stipulated by you in the said contract that the Supplier shall furnish you with a bank guarantee by a scheduled nationalized bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with and due performance of the contract;

AND WHERE AS we have agreed to give the Supplier such a bank guarantee;

NOW THEREFORE we here by affirm that we are guarantors and responsible to you, on behalf of the Supplier, up to a total of..... (amount of the guarantee in words and figures), and we hereby irrevocably and absolutely undertake to pay you immediately, upon your first written demand declaring the Supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We here by waive the necessity of your demanding the said debt from the Supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the Supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

The Bank guarantee shall be interpreted in accordance with the laws of India. The Guarantor Bank represents that this Bank Guarantee has been established in such form and with such content that is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

The Bank Guarantee shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank or the Supplier. The Bank further undertakes not to revoke this Guarantee during its currency except with the previous express consent of the Buyer in writing.

The Bank declares that it has power to issue this Guarantee and discharge the obligations contemplated herein, the undersigned is duly authorized and has full power to execute this Guarantee for an on behalf of the Bank.

This guarantee shall be valid up to and including the.....day of.....,20.....

.....

(Signature with date of the authorized officer of the Bank)

..... Name and designation of the officer

..... Seal, name & address of the Bank and address
of the Branch

Annexure-C**FINANCIAL BID FORMAT**

SN	Particulars	Required Qty	Unit of Measurement	Unit Rate	Total
1	Digital Board	1	No.		
2 (a)	Desktop PC (Intel Core i3)	20	No.		
2 (b)	Desktop PC (Intel Core i5)	1	No.		
3	Laptop	1	No.		
4(a)	1 KVA offline UPS	1	No.		
4(b)	600VA offline UPS	20	No.		
5	Multifunction Mono Laser Printer	2	No.		
6	Computer Chair	1	No.		
7	Steel Almirah	6	No.		
8	Green Board	8	No.		
9	Multimedia Projector	1	No.		
10	Water Purifier (RO+UV+MTDS)	1	No.		
11	Water Cooler with purifier	1	No.		
12	CCTV Camera with Installation of 5 Cameras	1	Set		
13	Monitor for CCTV	1	No.		
14	Iron Rack	10	No.		
15	White Board Magnetic Type	10	No.		
16	Trunk Box	3	No.		
17	Dual Desk & Bench	150	No.		
18	Staff/Visitor Chair	50	No.		

Note:

- The Bidder shall quote composite price inclusive of Supply, Installation, Testing, Commissioning, Training & all Taxes for each of the items.
- The Bidder shall strictly follow the technical specifications of all the items as per Part-III of the tender document.
- If there will be any deviation with the amount mentioned in Figures and Words, the latter one will be considered as final.

Signature :

Printed Name & Designation :

Company Seal :

Date :

Bidder's Name & Address :

END OF DOCUMENT